



Product

BA13-A/B

Operating Time	Rear Cleansing	1 minute Maximum 0.13 gal / min (0.5 l / min) Self-cleansing nozzle
	Bidet	1 minute Maximum 0.13 gal / min (0.5 l / min) Self-cleansing nozzle
Water Temperature Control	Off	Room temperature
	On	Low : 88.7 °F (31.5 °C) Medium : 94.1 °F (34.5 °C) High : 99.5 °F (37.5 °C)
Seat Temperature Control	Off	Room temperature
	On	Low : 87.8 °F (31 °C) Medium : 93.2 °F (34 °C) High : 98.6 °F (37 °C)
Warm Air Dryer	Temperature Control	3 levels
	Operating Time	2 minutes
Filter	Mesh type (Optinal MF Filter)	
Other functions	Instant heating system Power-saving function Air* water stream 3 step flow width control (BA13-B only) Deodorization (BA13-B only) Sterilization (BA13-B only)	
Power Consumption	1,200 W (Max.)	
Dimensions (W X H X D)	[BA13-AR/BR] 15.7 X 5.7 X 19.4 inch / 399 X 144 X 493 mm [BA13-AE/BE] 15.7 X 5.7 X 20.8 inch / 399 X 144 X 528 mm	
Net Weight	13.2 ~14.3 lb (6.0 ~ 6.5 kg)	

*Design and Specifications are subject to change without notice.



WOONGJIN HEAD OFFICE
Naewei Bldg., 6 Euljiro 2-Ga, Jung Gu, Seoul, Korea (100-844) www.coway.com



At the leading edge of modern life

Premium Digital Bidet



Relax. Refresh. Be clean.
You are in good hands with Coway's premium bidet.

Coway's Premium Digital Bidet - BA13-A/B





Sleeping

Exercising

Eating

Cleaning


Energize your life with the Coway Bidet Live Fresh. Live Clean.

Effective restroom regimen is an often overlooked but critically important part of any health-conscious person's life.

Let Coway's superior technology and appealing design help you make the most of those frequent but brief bathroom breaks.

How much of your life do you spend in the washroom?

150,562 TIMES
1,338 HOURS



221,737 TIMES
5,728 HOURS

Average life span of Korea : Man - 75 years / Woman - 81 years average
Usage frequency : Man - 5.5 / Day, Woman - 7.5 / Day
Average time span of toilet : Man - 32 seconds, Woman - 1 minute and 33 seconds

* Source : The citizen's coalition for restroom culture

Premium design for that personal space



Subtle curves and soft lines offer an attractive, unobtrusive unit with no extraneous parts or protrusions to spoil the bright, cheery and human appearance of your restroom.




Remote control
BA13-B

Technology Perfected


As one of the fine details that add to Coway perfection, the self cleaning nozzle combined sterilization and deodorizing functions ensure thorough cleanliness and absence of odor.



Multi-way valve system
This model has three new innovations - Air+ water stream, Self-cleaning nozzle, 3 step flow width control.



3 step flow width control
You can personally control the cleaning flow spread from strong concentrated current to softly spread current (BA13-B only).



Air+ water stream
The addition of bubbles to the water stream not only creates a gentler, softer cleaning action for sensitive skin but reduces water consumption.

BA13-A/B

The Coway Bidet's attractive outward appearance hides a powerful unit delivering uncompromising hygienic power and efficiency.

With Coway's advanced technology and personalized functions you can experience a feeling of fresh vitality usually achieved only with a lengthy shower.



2009 red dot design award

Twin stainless nozzles
for assured thoroughness.


Digital Bidet BA13-A/B

Long term, effortless use with the twin stainless nozzle.

The hardened stainless nozzle resists soiling thereby reducing or eliminating bacterial growth. It's easy-to-clean, semi-permanent nature means less time or effort with replacement. The twin nozzle configuration ensures accurate coverage for all users.


Created to keep everything clean

Even before you use your digital bidet your mind feels cleaner and at ease with the knowledge that the best personal hygiene technology available is at work for you.




Sterilization

Silver oxide nano particle treatment system has powerful anti-fungal & anti-bacterial properties to keep the nozzle clean and corrosion free for longer nozzle life (BA13-B only).




(E.coli Antifungal Test)



(Staphylococcus Antifungal Test)

* This test is based on 0.1% of Silver oxide concentration.
* For the BA13 antifungal test the concentration of Silver oxide was raised to 100 times more than the normal test (in order to maximize the effect of sterilization with a short contact time).



Deodorization is automatically activated

Deodorization is automatically activated when the unit is used thereby ensuring that any foul odors are thoroughly removed and leaving both you and your restroom feeling and smelling fresh and clean (BA13-B only).



Mesh filter pre-cleaning

By filtering out any incoming water-borne particulate matter you are assured of only the cleanest water touching your skin. With periodic cleaning, the filter's effectiveness is semi-permanent.



Digital Bidet BA13-A/B

Made with smart technology & design

Meticulous control of every element and stage of the bidet process gives you the confidence of knowing you are using the best available personal hygiene technology.


Cutting-edge instant heating system

By way of the safety protected, super thermal conductivity, ceramic heater, warm water is instantly created and available at the push of a button at any time - all while being more energy efficient. The instant heating system reduces power consumption by 60% versus conventional storage tank systems.



Convenience via remote control

The advanced remote control allows placement of the unit in any area, regardless of space limitations and its easily read and understood interface makes operation easy and convenient for all.



Move function

When the washing / bidet function is in operation the nozzle oscillates gently from rear to front for wider coverage.

Air temperature control

Easy to use 3-level airflow temperature control for personal comfort.

Water pressure control

Personal control of water pressure ensures the right balance of complete cleaning power with a pressure appropriate to user sensitivity.

Toilet seat temperature control

Easy to set 3-level seat temperature control for personal comfort. [31 °C, 34 °C, 37 °C]

Warm water temperature control

Easy to set water temperature to the warmth level desired. [31.5 °C ~ 37.5 °C]



Engineered with your safety in mind

Coway's intelligent safety aware design spots the smallest of potential problems and corrects them before they become real.

Safety from the foundation up

PBA molding forms a waterproof, airtight unit that prevents moisture penetration throughout the bidet allowing for safe usage in the humid environment of the washroom.

Intelligent low temperature burn prevention

When subjected to even low temperatures for an extended period, burns are a potential hazard. Coway's safety-first bidet automatically reduces toilet seat temperature to prevent such injury.

Triple short-circuit cut-off

The Ceramic heater's bimetallic temperature sensor and temperature fuse detect minute short-circuit potentiality and, when necessary, cuts off to ensure safety.



(Ceramic heater safety equipment)

Gentle opening and closing

A light fingertip touch initiates a smooth, controlled raising and lowering of the toilet seat to reduce the impact on the toilet bowl ceramics.

Designed for ease of use, durability & energy efficiency.

The Coway bidet is carefully designed to be functional and comfortable for users of all ages and body types.



Easy to detach

With just one touch a user can remove and replace the bidet for easy cleaning

Economical sensor activation

Functions are engaged when the weight of user is sensed and disengaged to save power when unused for 10 minutes.

Designed for enduring strength and comfort.

The ergonomically crafted seat provides a sense of security and allows for maximum comfort even over an extended stay.

