



About COWAY

Made with Coway's exceptional core technology, our highly competitive products are popular in more than 80 countries around the world. As the world's largest specialist in water filtration appliances and leading edge household well-being electronics, we have developed a product line that meets the diversified needs of global consumers through relentless research in environment-friendly products across a broad range of categories.

Increasingly recognized as a world leader in innovative household health / lifestyle technology, Coway's awards and special recognitions continue to accumulate.

AWARDS

CERTIFICATES

PRODUCT
COLLECTION


COWAY
ELECTRONIC
BIDETS



COWAY'S ELECTRONIC BIDETS

The most hygienic and efficient washing power equipped with state-of-the-art technology for precious personal time

Essential personal hygiene in your daily life



Thorough cleaning heat and refreshing coolness provide the perfect solution for the modern woman's personal concerns.



The synergistic effectiveness of hot water combined with hot air helps to protect sensitive areas against disease and ease recovery from any existing conditions.



For the elderly and otherwise infection prone, this hygienic advance offers the additional assurance of a healthy life.



The gentle hot water cleansing and enjoyable massage effect encourage healthy, regular and clean toilet habits in children.

The benefits of the bidets

Maximum cleanliness

As thorough as a full cleansing but limited to the one sensitive region, it is not only more comfortable than tissue, but it cleans more completely by affecting areas that might be passed over by tissue due to personal anatomical features such as wrinkles.

Heightened defense against bacteria

Minute areas within skin folds that frequently go untouched by tissue cleaning can provide an ideal propagation area for bacteria. The bidet can reach all such areas and removes the potential threat to health.

Defense against other common diseases

Bathrooms typically have numerous parasitic and bacterial threats to urinary and lower gastro-intestinal tract health. Only the thorough cleansing provided by bidet technology can prevent these threats from becoming real.

Massage function


The warm water - warm air cleaning, when combined with the massage not only produce a pleasant relaxing sensation, but stimulate circulation, capillary growth and health, for helping to relieve such conditions as hemorrhoids and constipation.

About Coway's Sterilization System

Coway sterilization system uses chemical-free sterilizing water to remove microbes for a hygienic washroom environment.

What is Coway Sterilization Ionizer (CSI)?

The sterilizing water is made with technology unique to Coway using only water and no chemical additives to sterilize the bowl as well as the passage.



BA13

The cleaner way - Coway’s premium bidet



Stainless steel nozzle
The hardened stainless steel prevents bacterial contamination and foreign matters from building up.

Energy efficiency
The instant hot water system reduces power consumption by 60% versus conventional storage tank systems.

User-friendly production for safety
The three part sensor system ensures safety by shutting off equipment in potentially hazardous conditions. PBA molding forms a waterproof, airtight unit that prevents moisture penetration.

Mesh filter
During the initial stage of pre-cleaning the incoming water, the mesh filter removes particulate matters.

3 levels flow width control
You can personally control the cleaning flow spread from strong concentrated stream to softly spread stream.

Air* water stream
An air pump injects bubbles into the water stream for softer, gentler feel.

Twin nozzles
Twin nozzles provide users higher satisfaction by fulfilling individual needs for nozzle position.

Convenient remote control
All functions are managed from an easy to use, intuitive remote control.

* B: Wide water, Deodorization, Silver oxide nano sterilization

MODEL		BA13-AR/AE/BR/BE
Operating Time	Rear cleansing	1 minute Maximum 0.5 ℓ / min (0.13 gal / min) Self-cleaning nozzle
	Front cleansing	1 minute Maximum 0.5 ℓ / min (0.13 gal / min) Self-cleaning nozzle
Seat Temperature	Off	Room temperature
	On	31~ 37 °C (87.8 ~ 98.6 °F)
Warm Air Dryer	Temperature control	3 levels
	Operating time	2 minutes
Filter		Mesh type (Optional MF filter)
Power Consumption		1,200 W
Dimensions (W X D X H)		(BA13-AR/AE) 382 X 493 X 144 mm (15 X 19.4 X 5.7 inch) (BA13-BR/BE) 382 X 528 X 144 mm (5 X 20.8 X 5.7 inch)
Net Weight		6.0 ~ 6.5 kg (13.2 ~ 14.3 lb)



BA12

Economical bidet with no electronic wiring :Operated by water pressure



Motorless bidet
Economical bidet operated by water pressure so it doesn't require electricity. It is very functional and environmentally friendly.

Nano silver ceramic MF filter
Nano silver balls ensure water cleanliness.

Self-cleaning nozzle
The nozzle automatically creates a spray to ensure its cleanliness before using the bidet.

Twin nozzles
Twin nozzles provide users higher satisfaction by fulfilling individual needs for nozzle position.

Anti bacterial parts
Anti-bacterial plastic nozzle and nozzle tip.

Ergonomic design & convenient jog-dial controller

Control valve: ceramic disk without electronic power

Control panel: washing, bidet, nozzle self-cleaning, water flow control

- Compatible with most toilets on most toilets.
- Uses water pressure only, eliminating need for electricity and reducing operating costs.
- Simple installation.
- Space saving.

MODEL		BA12
Operating Time	Rear cleansing	1 minute Maximum 1.2 ℓ / min (0.3 gal / min) Self-cleaning nozzle
	Front cleansing	1 minute Maximum 1.2 ℓ / min (0.3 gal / min) Self-cleaning nozzle
MF Filter	Life cycle	2.5 tons / month, (for under 0.5 NTU of turbidity)
	Dimension	(L) 136 mm X (Ø) 48 mm
Power Consumption		No electric power required
Operating Noise		37.0 ~ 48.0 dB
Dimensions (W X D X H)		483 X 517 X 156 mm (18.3 X 20.4 X 6.1 inch)
Net Weight		2.3 kg (5.1 lb)



BA15

The easy-to-use remote control makes this bidet easy to own



Simplified design allows it to be used virtually anywhere
The sophisticated, attractive yet simple design allows Coway sterilization system to be used anywhere. The clever and efficient sliding attach and detach system provides easy functionality on the widest possible range of standard ceramic bowls.

Soft open and close cover system
The advanced oil-dampening system results in gentle and silent raising and lowering of the seat.

Easy detachment
With just one touch, a users can remove and replace the bidet for easy cleaning.

Move function (BA15-B only)
When the washing /bidet function is in operation the nozzle oscillates gently from rear to front for total area coverage.

User-friendly production for safety
The three part sensor system ensures safety by shutting off equipment in potentially hazardous conditions. PBA molding forms a waterproof and airtight unit that prevents moisture penetration.

MODEL		BA15-AR/AE/BR/BE
Operating Time	Rear cleansing	1 minute Maximum 0.9 ℓ / min (0.2 gal / min) Self-cleaning nozzle
	Front cleansing	1 minute Maximum 0.9 ℓ / min (0.2 gal / min) Self-cleaning nozzle
Seat Temperature	Off	Room temperature
	On	33 ~ 41 °C (91.4 ~ 105.8 °F)
Filter		Mesh type
Power Consumption		850 W
Operating Noise		37.0 ~ 48.0 dB
Dimensions (W X D X H)		(BA15-AR/AE) 395 X 490 X 159 mm (5.6 X 19.3 X 6.3 inch) (BA15-BR/BE) 395 X 525 X 159 mm (15.6 X 20.7 X 6.3 inch)
Net Weight		4.8 kg (11.02 lb)



BA17

A premium bidet that requires no electricity



Self-powered bidet
BA17 generates required electricity from water flow and this electrical power is used to run the electronic bidet functions.

High quality seat
A minimalism style that imparts luxury and simplicity.

Self-cleaning nozzle
The nozzle automatically creates a spray to ensure its cleanliness before using the bidet.

Stainless steel nozzle
The hardened stainless steel prevents bacterial contamination and foreign matters from building up.

Nozzle position control
3-stage nozzle position control function for more precise cleansing.

Convenient remote control
All functions are managed from an easy to use, intuitive remote control. (BA17-A only)

MODEL		BA17-A/B/C
Operating Time	Rear cleansing	1 minute Maximum 1 ℓ / min (0.26 gal / min), Self-cleaning nozzle
	Front cleansing	1 minute Maximum 1 ℓ / min (0.26 gal / min), Self-cleaning nozzle
Filter		Mesh Filter (MF Filter is optional)
Power Consumption		1,050 W
Operating Noise		Max. 55 dB
Dimensions (W X D X H)		(BA17-A) 405 X 500 X 125 mm (15.7 X 19.7 X 4.9 inch) (BA17-B/C) 432 X 500 X 125 mm (17.0 X 19.7 X 4.9 inch)
Net Weight		5.2 kg (11.5 lb)

